

LINDSEY-WEST BICYCLE CO

L-W 434



The matt black lines of this bike give it real distinction. The curved down tube complements the thin sleek styling of the cross bar. The matching seat and grips give it country grace and a city air! The 250W brushless front hub motor is complemented by the quality 7 speed Shimano Nexus hub gear with Revoshift twist grip changer. Power assistance level is selected from the handlebar mounted display.

L-W 434 DIMENSIONS

Item	Metric	Imperial
Frame Size	52 cm	20.5"
Length	184 cm	72.4"
Wheelbase	112 cm	44.1"
Width	65 cm	25.6"
Handlebar Height	104 cm MIN 115 cm MAX	40.9" MIN 45.3" MAX
Saddle Height	93 cm MIN 111 cm MAX	36.6" MIN 43.7" MAX
Min Cross-bar Height	80 cm	31.5"
Weight	22.6 kg Bike 2.95 kg Battery 25.55 kg TOTAL	49.8 lbs Bike 6.5 lbs Battery 56.3 lbs TOTAL

This bike comes with a full complement of accessories, mudguards, chain guard & side stand. The front & rear lights have a front side runner dynamo. This European made bike not only benefits from front & rear V brakes but is also fitted with a continental style rear coaster brake.



L-W 434 SPECIFICATION

Feature	Description
Style	Cross-Bar Style
Frame	Aluminium Alloy
Colour	Black - Matt
Motor	250W Front Hub
Battery	36V 8.8Ah Lithium Ion
Display	4 level LED with Battery Indicator
Lights	LED Dynamo Lights Front and Rear
Gears	7 speed Shimano Nexus hub
Front Brake	Vee Brake
Rear Brake	Vee Brake and Coaster Brake (Back Pedal Braking)
Tyres	Rubena Flash 700C (Inflate to 70 psi MAX)
Security	
Extras	Side runner dynamo, Supplied with separate pump and tool kit
Maximum Permissible Loading	120 kg (18 st 12 lbs)
Range	about 20 – 60 km (Depending on riding style / terrain / loading) about 15 – 40 miles
Charging Time	about 5 hours from flat



All of our bikes are tested and certified to the latest European standards for Electric Bicycles. This means that in the UK they can be legally ridden by anyone over the age of 14 without the need for insurance, vehicle duty, a license etc. They can also be ridden on cycle paths and wherever a standard bicycle can be used.

EN15194^{CERTIFICATION}